



# MENZURE I TIKVICE




	<b>MENZURA-BOKAL PORCULAN SA RUČKOM</b>	<b>Kat.br.</b> 7.7020/50	<b>Opis</b> 50 mL
		7.7020 C	100 mL
		7.7020 F	250 mL
		7.7020 I	500 mL
		7.7020L	1000 mL
	<b>MENZURA PMP (TPX) VISOKA FORMA, (do +170°C)</b>	<b>Kat.br.</b> 15.1571	<b>Opis</b> 25 mL
		15.1572	50 mL
		15.1573	100 mL
		15.1574	250 mL
		15.1575	500 mL
		15.1576	1000 mL
		15.1577	2000 mL
	<b>MENZURA PMP (TPX) NISKA FORMA, (do 170°C)</b>	<b>Kat.br.</b> 15.1332	<b>Opis</b> 10 mL
		15.1333	25 mL
		15.1334	50 mL
		15.1335	100 mL
		15.1336	250 mL
		15.1337	500 mL
		15.1338	1000 mL
		15.1339	2000 mL
	<b>MENZURA PP VISOKA FORMA (-10°C do +120°C)</b>	<b>Kat.br.</b> 15.2560	<b>Opis</b> 10 mL
		15.2561	25 mL
		15.2562	50 mL
		15.2563	100 mL
		15.2564	250 mL
		15.2565	500 mL
		15.2566	1000 mL
	<b>MENZURA PP SA RUČKOM</b>	<b>Kat.br.</b> 1.191578	<b>Opis</b> 1000 mL
		1.191579	2000 mL
	<b>MENZURA PP PENTAGONALNA PLATFORMA</b>	<b>Kat.br.</b> 134.ILW7911	<b>Opis</b> 10 mL
		134.ILW7912	25 mL
		134.ILW7913	50 mL
		134.ILW7914	100 mL
		134.ILW7915	250 mL
		134.ILW7916	500 mm
		134.ILW7917	1000 mL

	MENZURA ST NISKA FORMA KLASA B	<b>Kat.br.</b>	<b>Opis</b>
		7.2205/5	5 mL
		7.2205/10	10 mL
		7.2205/25	25 mL
		7.2205/50	50 mL
		7.2205/100	100 mL
		7.2205/250	250 mL
		7.2205/500	500 mL
		7.2205/L	1000 mL
	174.1645BB/M	2000 mL	
	MENZURA ST VISOKA FORMA KLASA B	<b>Kat.br.</b>	<b>Opis</b>
		A11636050	5 mL
		A11636110	10 mL
		A11636120	25 mL
		A11636150	50 mL
		A11636210	100mL
		A11636220	250 mL
		A11636250	500 mL
		A11636310	1000 mL
A11636320	2000 mL		
	MENZURA ST VISOKA FORMA KLASA A	<b>Kat.br.</b>	<b>Opis</b>
		A11637050	5 mL
		A11637110	10 mL
		A11637120	25 mL
		A11637150	50 mL
		A11637210	100 mL
		A11637220	250 mL
		A11637250	500 mL
		A11637310	1000 mL
A11637320	2000 mL		
	MENZURA ST VISOKI OBLIK SA NAZNAČENOM TOLERANCIJOM, KLASA A	<b>Kat.br.</b>	<b>Opis</b>
		7.2182H/5	5 mL
		7.2172H/10	10 mL
		7.2172H/25	25 mL
		7.2172H/50	50 mL
		7.2172H C	100 mL
		7.2172H F	250 mL
		7.2172H I	500 mL
		7.2172H L	1000 mL
7.2172H M	2000 mL		
7.9201	izvedbe sa informacijom aktuelnog odred. Vol.		
	MENZURA ST ZA MUČKANJE sa PE čepom	<b>Kat.br.</b>	<b>Opis</b>
		174.1652BBS/5	5 mL
		7.2210/10	10 mL
		7.2210/25	25 mL
		7.2210 C	100 mL



7.2210 F	250 mL
7.2210 I	500 mL
174.1652BBS/L	1000 mL
174.1652BBS/M	2000 mL



	<b>Kat.br.</b>	<b>Opis</b>
MENZURA ST ZA SPERMU	7.2220/10	10mL sa lijevkom



	<b>Kat.br.</b>	<b>Opis</b>
MENZURA ST CILINDRIČNA, SA DRŠKOM	174.1681/100	R-50, h100mm
	174.1681/250	R-68, h132mm
	174.1681/500	R-83, h177mm
	174.1681/L	R-104, h205mm
	174.1681/M	R-130, h250mm



	<b>Kat.br.</b>	<b>Opis</b>
MENZURA ST KONUSNA, SA DRŠKOM	174.1683/100	100 mL
	174.1683/250	250 mL
	174.1683/500	500 mL
	174.1683/L	1000 mL
	174.1683/M	2000 mL



	<b>Kat.br.</b>	<b>Opis</b>
MENZURA ST ZA URIN, GRADUISANA	174.3542/1500	1500 mL, R-155mm, h-175mm




	<b>Kat.br.</b>	<b>Opis</b>	
TIKVICA ODMJERNA PMP (TPX) sa NS čepom	15.2485	50 mL	NS 14/23
	15.2486	100 mL	NS 14/23
	15.2487	250 mL	NS 19/26
	15.2488	500 mL	NS 13/26
	15.2489	1000 mL	NS 19/26

	TIKVICA ODMJERNA PP sa čepom na navoj	<b>Kat.br.</b>	<b>Opis</b>	
		15.1430	25 mL	GL
		15.1431	50 mL	GL
		15.1432	100 mL	GL18
		15.1433	250 mL	GL25
		15.1434	500 mL	GL25
		15.1435	1000 mL	GL25
	TIKVICA ODMJERNA PP sa NS čepom	<b>Kat.br.</b>	<b>Opis</b>	
		15.1484	25 mL	NS
		15.1485	50 mL	NS
		15.1486	100 mL	NS
		15.1487	250 mL	NS
		15.1488	500 mL	NS
		15.1489	1000 mL	NS
	TIKVICA ODMJERNA ST svijetla SA PVC ČEPOM <u>Klasa B</u>	<b>Kat.br.</b>	<b>Opis</b>	
		7.2094/5	5 mL	NS 7/16
		7.2094/10	10 mL	NS 7/16
		7.2094/20	20 mL	NS 10/19
		7.2094A	25 mL	NS 10/19
		7.2094B	50 mL	NS 12/21
		7.2094C	100 mL	NS 12/21
		7.2094E	200 mL	NS 14/23
		7.2094F	250 mL	NS 14/23
		7.2094G	300 mL	NS 14/23
		7.2094H	400 mL	NS 19/26
		7.2094I	500 mL	NS 19/26
		7.2094L	1000 mL	NS 24/29
		7.2094M	2000 mL	NS 29/32
		7.2094N	3000 mL	NS 29/32
7.2094O	5000 mL	NS 34/35		
7.2094P	10000 mL	NS 45		
	TIKVICA ODMJERNA ST svijetla SA PVC ČEPOM sa širokim grlom	<b>Kat.br.</b>	<b>Opis</b>	
		7.2094/5W	5 mL	NS 10/19
		7.209410W	10 mL	NS 10/19
		7.209425W	25 mL	NS 12/21
		7.209450W	50 mL	NS 14/23
		7.2094 CW	100 mL	NS 14/23
7.2094 L 20	1000 mL	NS 29/32		







TIKVICA ODMJERNA  
 ST, svijetla  
 SA PVC ČEPOM  
Klasa A

Kat.br.	Opis
A11507051	5 mL NS 7/16 5 mL, tol.±0,025mL, NS 10/19
A11507110	10 mL NS 7/16 10 mL, tol.±0,025mL, NS 10/19
180.3168611	20 mL, tol.±0,04mL, NS 12/21
A11507120	25 mL NS 10/19 25 mL, tol.±0,04mL, NS 12/21
A11507150	50 mL NS 12/21 50 mL, tol.±0,06mL, NS 14/23
A11507210	100 mL NS 12/21 100 mL, tol.±0,1mL, NS 14/23
174.1503APN/E	200 mL NS 14/23 200 mL, tol.±0,15mL, NS 14/23
A11507220	250 mL NS 14/23 250 mL, tol.±0,15mL, NS 14/23
A11507250	500 mL NS 19/26 500 mL, tol.±0,25mL, NS 19/26
A11507310	1000 mL NS 24/29 1000 mL, tol.±0,4mL, NS 24/29
A11507320	2000 mL NS 29/32 2000 mL, tol.±0,6mL, NS 29/32
174.1503APN/O	5000 mL NS 34/35 5000 mL, tol.±1,2mL, NS 34/35






TIKVICA ODMJERNA ST  
 smeđja  
 SA PVC ČEPOM A  
 klase  
 naznačenom  
 tolerancijom







Kat.br.	Opis
174.1503AC/5	5 mL NS 7/16
174.1503AC/10	10 mL NS 7/16
174.1503AC/25	25 mL NS 10/19
174.1503AC/50	50 mL NS 12/21(13)
174.1503A/100	100 mL NS 12/21(14)
174.1503A/200	200 mL NS 14/23
174.1503A/250	250 mL NS 14/23(18)
174.1503A/500	500 mL NS



		19/26(22)
		174.1503AC/L 1000 mL NS 24/29(23)
		174.1503AC/M 2000 mL NS 29/32(30)
		7.2096H/O
		7.2096H/P
		<b>Kat.br.</b> <b>Opis</b>
	TIKVICA ODMJERNA ST svijetla SA STAKLENIM ČEPOM <u>Klasa B</u>	174.1503BS/5 5 mL NS 7/16
		174.1503BS/10 10 mL NS 7/16
		174.1503BS/25 25 mL NS 10/19
		174.1503BS/50 50 mL NS 12/21
		174.1503BS/C 100 mL NS 12/21
		174.1503BS/E 200 mL NS 14/23
		174.1503BS/F 250 mL NS 14/23
		174.1503BS/I 500 mL NS 23
		174.1503BS/L 1000 mL NS 28
		174.1503BS/M 2000 mL NS 28
		<b>Kat.br.</b> <b>Opis</b>
	TIKVICA ODMJERNA ST svijetla SA STAKLENIM ČEPOM <u>Klasa A</u>	174.1503AS/5 5 mL NS 7/16
		174.1503AS/10 10 mL NS 7/16
		174.1503AS/25 25 mL NS 10/19
		174.1503AS/50 50 mL NS 12/21
		174.1503AS/C 100 mL NS 12/21
		174.1503AS/E 200 mL NS 14/23
		174.1503AS/F 250 mL NS 14/23
		174.1503AS/I 500 mL NS 19/26
		174.1503AS/L 1000 mL NS 24/29
		174.1503AS/M 2000 mL NS 29/32
		<b>Kat.br.</b> <b>Opis</b>
	TIKVICA ODMJERNA ST SMEĐA, SA PVC ČEPOM B klase sa naznačenom tolerancijom	174.BPNH/5 5 mL NS 7/16
		174.BPNH/10 10 mL NS 7/16
		174.BPNH/25 25 mL NS 10/19
		174.BPNH/50 50 mL NS 12/21
		174.BPNH/100 100 mL NS 12/21
		174.BPNH/250 250 mL NS 14/23
		174.BPNH/500 500 mL NS 19/26
		174.BPNH/L 1000 mL NS 24/29
174.BPNH/M 2000 mL NS 29/32		
		<b>Kat.br.</b> <b>Opis</b>
	TIKVICA ODMJERNA ST SMEĐA, SA STAKLENIM ČEPOM <u>Klasa A</u>	174.1503/H/5 5 mL NS 7/16
		174.1503/H/10 10 mL NS 7/16
		174.1503/H/25 25 mL NS 10/19
		174.1503/H/50 50 mL NS 12/21
		174.1503/H/100 100 mL NS 12/21
		174.1503/H/200 200 mL NS 14/23
		174.1503ASH/F 250 mL NS 14/23
		174.1503/H/500 500 mL NS 19/26
		174.1503AS/H/L 1000 mL NS 24/29



		174.1503AS/H/M	2000 mL NS 29/32
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ODMJERNA ST SMEĐA, SA PVC ČEPOM A klase sa naznačenom tolerancijom	174.1503A/5	5 mL NS 7/16 5 mL, tol.±0,025, NS 10/19
		174.1503AP10	10 mL NS 7/16 10 mL, tol.±0,025, NS 10/19
		180.3188611	20 mL, tol.±0,04 NS 12/21
		174.1503A/25	25 mL NS 10/19 25 mL, tol.±0,04, NS 12/21
		174.1503A/50	50 mL NS 12/21 50 mL, tol.±0,06, NS 14/23
		174.1503A/100	100 mL NS 12/21 100 mL, tol.±0,1, NS 14/23
		174.1503A/200	200 mL NS 14/23 200 mL, , tol.±0,15, NS 14/23
		174.1503A/250	250 mL NS 14/23 250 mL, , tol.±0,15, NS 14/23
		174.1503A/500	500 mL NS 19/26 500 mL, , tol.±0,25, NS 19/26
		174.1503A/L	1000 mL NS 24/29 1000 mL, , tol.±0,4, NS 24/29
		174.1503A/M	2000 mL NS 29/32
		32.FVSJAA5000	5000 mL NS 34/35
	TIKVICA ODMJERNA ST, RD SA DVIJE MARKE (OZNAKE) za analizu šećera	174.1509/50	50/55mL
		174.1509/100	100/110mL
		174.1509/200	200/220mL
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST, RD SA PODJELOM NA VRATU	174.1520/50	50mL+5 h-155 mm
		174.1520/100	100mL+10 h-205 mm
		174.1520/200	200mL+20 h-245 mm
		174.1520/250	250mL+25 h-280 mm
		174.1520/500	500mL+50 h-320 mm



		174.1520/L	1000mL+100 h-400 mm
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST ZA DESTILACIJU okruglo dno sa bočnom cijevi borsilikatno staklo	174.41A/50	50 mL
		174.41A/100	100 mL
		174.41A/250	250 mL
		174.41A/500	500 mL
		174.41A/L	1000 mL
		134.LGW58/7	2000 mL
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST KRUŠKOLIKA jedno grlo	134.LGW51/1	5 mL NS 10/13
		174.8027/10	10 mL NS 14/23
		134.LGW51/2	10 mL NS 10/13 (14/23)
		134.LGW51/3	25 mL NS 10/13 (14/23)
		174.8027/25	25 mL NS 14/23
		174.8027/50	50 mL NS 14/23
		174.8027/100	100 mL NS 14/23
		174.8027/250	250 mL NS 14/23
		A18011220	250 mL NS 29/32
	TIKVICA ST KRUŠKOLIKA dva grla	134.LGW52/1	25 mL NS 14/14
		134.LGW52/2	50 mL NS 14/14
		A18013152	50 mL NS 14/23
		134.LGW52/3	100 mL NS 14/14
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST KRUŠKOLIKA tri grla	134.LGW53/1	25 mL NS 14/14
		134.LGW53/2	50 mL NS 14/14
		134.LGW53/3	100 mL NS 14/14
		A18013213	100 mL NS 14/23, tri grla
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST «Over flow» PRELJEVAJUĆA bez čepa	7.2115/22	22,7 mL
		7.2115/97	97 mL
		7.2115 F	250 mL
		7.2115 S	432 mL
		<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST SA DVA GRILA, OKRUGLO DNO	174.8017/250	250 mL NS 29/32 i NS 14/23
		174.8017/500	500 mL NS 29/32 i NS 14/23
		174.8017/L	1000 mL NS 29/32 i NS 14/23
		174.8017/P	6000 mL NS 60/46 i NS 14/23

	<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST SA TRI GRLA, OKRUGLO DNO	174.8016/250 250 mL
	1 x NS 29/32 i 2 x NS 14/23 (paralelna)	174.8016/500 500 mL
		174.8016/L 1000 mL
		174.8016/M 2000 mL
	174.8016/P 6000 mL	
	<b>Kat.br.</b>	<b>Opis</b>
	TIKVICA ST PO KJELDAHL-u	174.51/50 50 mL
		174.51/100 100mL
		174.51/250 250 mL
		174.51/500 500 mL
	174.51/L 1000 mL	

*I još mnogo...*

*...mnogo više!*